



Covered working space using containers as the main structure.

Our 18mx20m  
Alispan Warehouse




# PROVIDING YOU WITH WAREHOUSING & STORAGE FACILITIES QUICKLY & HASSLE FREE.

## **Baytex Alispan Warehouse & Alimax**

Suitable for permanent and semi-permanent installation. Comfortably spans from 10m-18m and extends to any length in 5m modules.

SIMPLICITY · PERFORMANCE · STYLE






18° pitch roof

Great on both sealed and unsealed surfaces.  
Can easily be attached to a building or used as a free standing unit.



10m portal width with 5m portal bay increment | leg 2.6m or 3m  
12m portal width with 5m portal bay increment | leg 2.6m or 3m  
15m portal width with 5m portal bay increment | leg 2.6m or 3m  
18m portal width with 5m portal bay increment | leg 2.6m or 3m



### Simplicity, Style, Flexibility

#### Fabric

All Baytex Marquees have a high tech lacquer surface coating for a smooth, glossy, dirt resistant finish. Fire retardant fabric specially treated to prevent moisture wicking. Choice of Ferrari Translucent or Blockout PVC in white or a choice of colours.  
Arched purlin tension system to provide a taut fit and noise reduction.  
All walls retractable, high clearance and wide width curtain wall for truck access.  
Side wall bottom bars lowered for optimal weather protection.  
High frequency welded for optimum strength, fabricated in NZ.

#### Hardware

Anodised alloy rail components for strength and durability.  
High quality electro galvanised steel connectors ensure long lasting, clean appearance. Arched Purlins for fabric tensioning.  
Premium NZ sourced, Industrial quality.  
Hard guttering can be installed.

#### Easy to Clean

The PVC surface can be readily cleaned with a non-bleach mild detergent or Baytex 'Sliktop'.

#### Manufacturing

CAD designed and computer cut for dimensional accuracy.  
Manufactured onsite at Baytex as for the last 50 years.

### Specifications

Baytex Alispan comfortably spans from 10m to 18m and extends to any length in 5m modules.  
PS1 engineering design report to B1 specification provided.  
All Alispans are supplied with all hardware, PVC roof, plain PVC walling.

### Considerations for your warehouse

You will require a reinforced concrete pad or localised footings and strip drain on outer edges.  
You can install this yourselves, it is simple to erect with no loose bolts. As this unit is derived from our marquees then you could contact a local Hire Company to install.  
It can easily be attached to buildings or used as a free standing unit.

### New Zealand

52 Newton Street,  
PO Box 4370, Mount Maunganui  
New Zealand



tel +64 7 579 0190  
fax +64 7 579 0194  
www.baytex.co.nz

### Australia

tel 1800 766 661  
www.baytex.com.au  
info@baytex.com.au



18° pitch roof



10m portal width with 5m portal bay increment		eave 2.9m
12m portal width with 5m portal bay increment		eave 2.9m
15m portal width with 5m portal bay increment		eave 2.9m
18m portal width with 5m portal bay increment		eave 2.9m

### Simplicity, Style, Flexibility

#### Fabric

All Baytex Marquees have a high tech lacquer surface coating for a smooth, glossy, dirt resistant finish. Fire retardant fabric specially treated to prevent moisture wicking. Choice of Ferrari Translucent or Blockout PVC in white or a choice of colours. Arched purlin tension system to provide a taut fit and noise reduction. High frequency welded for optimum strength, fabricated in NZ.

#### Easy to Clean

The PVC surface can be readily cleaned with a non-bleach mild detergent or Baytex 'Sliktop'.

#### Hardware

Anodised alloy rail components for strength and durability. High quality electro galvanised steel connectors ensure long lasting, clean appearance. Arched Purlins for fabric tensioning. Premium NZ sourced, Industrial quality. Hard guttering can be installed. ??

#### Manufacturing

CAD designed and computer cut for dimensional accuracy. Manufactured onsite at Baytex as for the last 50 years.

### Specifications

Baytex AliMax comfortably spans from 10m to 18m and extends to any length in 5m modules. PS1 engineering design report to B1 specification provided. All Alispans are supplied with hardware and PVC roof - containers are supplied by customer.

### Considerations for your warehouse

You can install this yourselves, it is simple to erect with no loose bolts. As this is unit is derived from our marquees then you could contact a local Hire Company to install.

#### New Zealand

52 Newton Street,  
PO Box 4370, Mount Maunganui  
New Zealand

tel +64 7 579 0190  
fax +64 7 579 0194  
www.baytex.co.nz

#### Australia

tel 1800 766 661  
www.baytex.com.au  
info@baytex.com.au

