



SUPERIOR HOLDING POWER,
LIGHTWEIGHT, DURABLE & REUSABLE.
INCREASE YOUR PRODUCTIVITY

Baytex Earth Anchors

Increase your productivity with the screw in, screw out reusable earth anchors. Lightweight aircraft-quality cast aluminium 356 alloy.

SIMPLICITY · PERFORMANCE · STYLE



LOAD CAPACITY
Pullout strength
with flight fully
embedded




SOIL CLASS

- 1 hardpan/ashphalt/clay
- 2 Cohesive soil
- 3 Medium density soil
- 4 Loose med-to-fine sand
- 5 Loose fine uncompacted sand

	PE9 PE9T 23cm (9")	PE10 25cm (10")	PE14-STD 37cm (14")	PE18 PE18-33 PE18SQ 46cm (18")	PE26 PE26-33 66cm (26")	PE36 91cm (36")	PE46 Hex PE46 Guy 1.2m (46")
1	1.78 kN (181 kg)	4.45 kN (454 kg)	11.1 kN (1311 kg)	7.56 kN (771 kg)	20.0 kN (2039 kg)	37.4 kN (3814 kg)	62.3 kN (6351 kg)
2	0.89 kN (91 kg)	3.11 kN (317 kg)	7.56 kN (771 kg)	7.56 kN (771 kg)	13.8 kN (1407 kg)	26.9 kN (2743 kg)	42.3 kN (4312 kg)
3	0.44 kN (45 kg)	1.56 kN (159 kg)	2.67 kN (272 kg)	2.67 kN (272 kg)	4.89 kN (498 kg)	9.34 kN (952 kg)	14.7 kN (1498 kg)
4	0.44 kN less than (45 kg)	0.89 kN (91 kg)	1.56 kN (159 kg)	1.56 kN (159 kg)	2.80 kN (285 kg)	4.45 kN (453 kg)	8.90 kN (907 kg)
5	0.44 kN less than (45 kg)	0.44 kN (45 kg)	0.89 kN (91 kg)	0.89 kN (91 kg)	1.60 kN (163 kg)	1.56 kN (159 kg)	4.89 kN (498 kg)

PE9

20mm hex head
32mm flange
16mm neck diameter
29mm flight diameter



PE9T

10cm handle
13mm neck diameter
29mm flight diameter


PE10

26mm hex head
5cm flange
26mm neck diameter
45mm flight diameter
0.5kg



PE14-STD

15cm steel stud with washer & nut
5cm flange
36mm neck diameter
58mm flight diameter
0.85kg



PE18SQ

1/2" square drive
5cm flange
26mm neck diameter
45mm flight diameter
.6kg



PE18

26mm hex head
5cm flange
26mm neck diameter
45mm flight diameter
0.7kg



PE26

26mm hex head
5cm flange
26mm neck diameter
45mm flight diameter
0.7kg



PE36 Hex

51mm hex head
10cm flange
45mm neck diameter
77mm flight diameter
4.0kg



PE46 Hex

51mm hex head
10cm flange
45mm neck diameter
77mm flight diameter
4.8kg



PE46 Guy

51mm hex head
45mm neck diameter
77mm flight diameter
4.6kg



Base Plate: 7mm plate = 39mm hole / 13mm plate = 42mm hole

PE18-33

26mm hex head
5cm flange
26mm neck diameter
33mm flight diameter
0.7kg



PE26-33

26mm hex head
5cm flange
26mm neck diameter
33mm flight diameter
0.7kg



Base Plate: 7mm plate = 30mm hole



New Zealand

52 Newton Street,
PO Box 4370, Mount Maunganui
New Zealand

tel +64 7 579 0190
info@baytex.co.nz
www.baytex.co.nz

Australia

tel 1800 766 661
info@baytex.com.au
www.baytex.com.au




accessories sold separately

accessories for PE9-PE26



accessories for PE36-PE46



Baytex Earth Anchors

SIMPLICITY · PERFORMANCE · STYLE

